

VT 10.00 Page **1** of **6** January 29, 2017

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Omega Products International P.O. Box 77220 Corona, CA 92877-0107

Company Phone Number: 1-951-737-7447

Emergency Phone Number: 1-951-737-7447 or 1-800-600-6634

Trade Name: Valentino Top Coat

Chemical Family: Mixture

Issue Date: January 29, 2017

Section 2: HAZARDS IDENTIFICATION

2.1 Emergency Overview

Appearance: Yellow solid at room temperature



DANGER

Flammable solid and vapors (Category 1 / Category 3)
May be fatal is swallowed and enters airways (Category 2)
Causes skin irritation (Category 2)
May cause drowsiness or dizziness (Category 3)

2.2 Potential Health Effects

Relevant routes of exposure: Eye contact, skin contact, inhalation, ingestion

Eye: Direct Contact with eyes can cause eye irritation.

Skin: Prolonged or repeated skin contact with wet material can cause skin irritation

Inhalation: Prolonged inhalation of product may cause headache, nausea, irritation and/or inflammation of the throat or lungs.

Ingestion: Ingestion of material may cause vomiting and/or stomach pains.

2.3 Potential Environmental Effects

Not considered to be harmful to aquatic and terrestrial life.



VT 10.00 January 29, 2017 Page 2 of 6

Section 3: COMPOSITION/INFORMATION OF INGREDIENTS

		Content	Content [wt %]	
CAS Number	Component	Lower	Upper	
64742-48-9	Mineral Spirits	43.0	45.0	
	Proprietary Wax Blend	55.0	57.0	

Section 4: FIRST-AID MEASURES

Eye Contact: Flush eyes with running water for at least 15 minutes

Skin Contact: Wash affected area thoroughly with soap and water. Consult a physician if irritation persists.

Inhalation: If respiratory symptoms develop from exposure to fumes emitted by the molten material, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention. If victim is not breathing, immediately begin artificial repiration. If breathing difficulties develoip, oxyfgen should be administered by qualified personnel. Seek immediate medical attention.

Ingestion: Solid material is not acutely toxic; however, if molten material is swallowed, seek immediate medical attention.

Section 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Dry chemical, foam, sand, water fog is recommended.

Unsuitable Extinguishing Media: None

Products of Combustions: None

Unusual Hazards: This material may burn, but it will not ignite readily.

Protection of Firefighters: Firefighters should wear self-containing breathing apparatus (pressure demand MSHA/NIOSH approved or equivalent) and full fire-fighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in section 8.

Environmental Precautions: Keep out of drains, sewers, ditches and waterways. Minimize use of water to prevent environmental contamination.



VT 10.00 January 29, 2017 Page 3 of 6

Methods for Clean-Up: Dispose of in accordance with applicable Federal, State, and Local regulations. Keep spills and runoff out of municipal sewers and open bodies of water.

Section 7: HANDLING AND STORAGE

Handling: Wash thoroughly after handling. Do not wear contaminated clothing or shoes. Use good personal hygiene practice.

Storage: Store in tightly closed containers in cool, dry, well-ventilated area away from heat, sources of ignition, and incompatibles such as strong oxidizers. Store at ambient or lower temperature. Store out of direct sunlight. Keep containers tightly closed and upright when not in use. Protect against physical damage.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines:

OSHA PEL

ACGIH TLV

NIOSH REL

Mineral Spirits

500 ppm (2,900 mg/m³) TWA

350 mg/m³ TWA

100 ppm (525 mg/m³)

TWA

Engineering Controls: Use local ventilation, if needed.

Eye/face Protection: When handling in molten form, use chemical splash goggles (ANSI 287.1 or approved equivalent)

Skin Protection: When handling molten form, proper resistant clothing, gloves, and shoes must be worn.

Respiratory Protection: None required for normal use of this product.

General Hygiene Considerations: Wash thoroughly after handling. Have eye-wash facilities immediately available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Color: Yellow at room temperature

Odor: Not available

Odor Threshold: Not available.

Physical State: Solid pH: Not available

Freezing Point: Not available Boiling Point: Not available.



VT 10.00 Page **4** of **6**

January 29, 2017 Flash Point: 400°C

Evaporation Rate: Not applicable. Flammability (solid, gas): Flammable

Upper Flammability Limit: Not available Lower Flammability Limit: Not available

Auto Ignition Temperature: Not applicable.

Vapor Pressure: Not applicable. Vapor Density: Not available Specific Gravity: 0.96 g/ml at 20°C

Solubility (water): Insoluble in water. Soluble in organic solvent when warmed.

Partition Coefficient (n-octanol/water): Not applicable

Section 10: STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions. Avoid strong oxidizing agents.

Conditions to Avoid: Avoid strong oxidizing agents

Incompatible Materials: Strong oxidizing agents

Hazardous Decomposition Products: Thermal decomposition may yield a variety of products which may include but not limited to oxides of carbon and nitrogen.

Possibility of Hazardous Reactions: This material is stable and unlikely to react in a hazardous manner under normal conditions of use.

Section 11: TOXICOLOGICAL INFORMATION

Eyes: No specific hazard known. May cause transient irritation or alkali burns.

Skin: No specific hazard known. May cause transient irritation or alkali burns.

Inhalation: No specific hazard known. May cause transient irritation, headache, nausea, and/or inflammation of the nose, throat or lungs.

Ingestion: No specific hazard known.

Section 12: ECOLOGICAL INFORMATION

Aquatic Toxicity: No data available.

Terrestrial Toxicity: No data available.

Persistence and degradability:



VT 10.00 Page **5** of **6**

January 29, 2017

Mobility: No data available.

Bioaccumulation: No data available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Section 14: TRANSPORTATION INFORMATION

Land transport USDOT Not classified as a dangerous good under transport regulations
Sea transport IMDG Not classified as a dangerous good under transport regulations
Air transport IATA/ICAO Not classified as a dangerous good under transport regulations

Section 15: REGULATORY INFORMATION

US Federal Regulations:

TSCA: All ingredients are exempt from listing.

SARA Title III Rules

Section 311/312 Hazard Classes

Fire Hazard: No
Reactive Hazard: No
Release of Pressure: No
Acute Health Hazard: No
Chronic Health Hazard: No
Section 313 Toxic Chemicals

None

Section 312 Extremely Hazards Substances (EHS)/CERCLA Hazardous Substances

None

State Regulations:

Omega Products International, Inc., as a blender of processed material in the State of California, is required by Proposition 65 to worn that one or more of the components contained in this product could contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. The State of California (Proposition 65) requires this warning in the absence of definitive testing to prove that the defined risks do not exist. We believe this product



VT 10.00 Page **6** of **6**

January 29, 2017

complies with all other applicable state and federal laws and regulations governing manufacture, distribution and intended use.

Section 16: OTHER INFORMATION

Hazardous Material Information System III (U.S.A.)

Health: *

Flammability: *

Physical Hazards: 0

Health rating applies only to acute effects as defined by the National Paint and Coatings Association)

*See Section 2 Hazards Identification

<u>Caution:</u> HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

Legend

- 3 -		
ACGIH	American Conference of Government Industrial Hygienists	
HMIS	Hazardous Material Identification System	
NTP	National Toxicology Program	
OSHA	Occupational Safety and Health Administration	
STEL	Short Term Exposure Limit	
TWA	Time Weighted Average	
NIOSH	National Institute for Occupational Safety and Health	
PEL	Permissible Exposure Limit	

This information is furnished without warranty, representation, inducement or license if any kind, except that it is accurate to the best of Omega Products International, Inc.'s knowledge or is obtained from sources believed to be accurate. Omega Products International, Inc. does not assume any legal responsibility for its use or reliance upon same/ Customers are encouraged to conduct their own tests. Before using any product, read its label.